

UNICLEAN TANK BRIGHT

APPLICATIONS

Uniclean Tank Bright is a concentrated acidic tank cleaner. It is formulated for effective removal of white residues from epoxy coatings remaining after carriage of fatty acids as well as stains removal and to upgrade coated cargo tanks.

DIRECTIONS FOR USE

Uniclean Tank Bright is strongly acidic and must be diluted prior to being used. Uniclean Tank Bright should always be added to water, never the reverse. Do not use Uniclean Tank Bright on surfaces coated with zinc silicate coatings.

Remove dirt, rust flakes and heavily contamination of oils and fats prior to using Uniclean Tank Bright . For tank cleaning operations Uniclean Tank Bright must be diluted prior to being used and should be mixed with preferably fresh water to form a solution of 2-5 % depending on the extent of contamination. When used on aluminum rinse off within 5 minutes from application.

The most economical method of using Uniclean Tank Bright is by recirculation, using tank cleaning machines or by direct injection. Whenever possible, the cleaning solution should be heated to approx. 50 °C. For removal of light stains in pipe lines and tanks, recirculate a solution of 2-5 % Uniclean Tank Bright. For severely soiled surfaces, consider use of a stronger solution.

For removal of white residues from epoxy-coatings that sometimes remains after carriage of Stearin, Olein, Palm fatty acid etc., recirculate a solution of 2-5 % Uniclean Tank Bright . When injected, use a 2-3 % solution. Recirculate or inject until residue is removed.

NATURE OF SPECIAL RISKS AND SAFETY ADVICE

In accordance with the latest ECC Council directives this product is subjected to:

- R34 : Causes burns
- S2 : Keep out of reach of children
- S26 : In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

No. 8.3



UNICLEAN TANK BRIGHT

Uniclean Tank Bright contains phosphoric acid and non-ionic surfactants.

- Concentrated product
- Solvent-free
- Does not contain nonylphenol ethoxylates or other estrogenic compounds
- Economical in use
- Non-flammable
- Odourless

PRODUCT CHARACTERISTICS

Appearance: Water White yellowish
pH 1% solution: 1,5-2,5
Specific gravity: 1,5

IMO Class: 8 / III
UN Number: 1805

UNiclean

S36/37/39 : Wear suitable protective clothing, gloves
and eye / face protection

S45 : In case of accident or if you feel unwell,
seek
medical advice immediately (show the label if possible)